

```
!SESSION 2024-02-14 11:13:43.877 -----
eclipse.buildId=2.1.3.202304210827
java.version=17.0.1
java.vendor=Azul Systems, Inc.
BootLoader constants: OS=linux, ARCH=x86_64, WS=gtk, NL=de_DE
Command-line arguments: -os linux -ws gtk -arch x86_64
```

```
!ENTRY org.eclipse.gemini.dbaccess.derby 4 0 2024-02-14 11:13:45.793
```

```
!MESSAGE FrameworkEvent ERROR
```

```
!STACK 0
```

```
org.osgi.framework.BundleException: Ausnahme in
```

```
org.eclipse.gemini.dbaccess.derby.Activator.start() von Bundle
```

```
org.eclipse.gemini.dbaccess.derby.
```

```
at
```

```
org.eclipse.osgi.internal.framework.BundleContextImpl.startActivator(BundleContextImpl.java:
834)
```

```
at
```

```
org.eclipse.osgi.internal.framework.BundleContextImpl.start(BundleContextImpl.java:762)
```

```
at
```

```
org.eclipse.osgi.internal.framework.EquinoxBundle.startWorker0(EquinoxBundle.java:1032)
```

```
at
```

```
org.eclipse.osgi.internal.framework.EquinoxBundle$EquinoxModule.startWorker(EquinoxBundle.java:
371)
```

```
at org.eclipse.osgi.container.Module.doStart(Module.java:605)
```

```
at org.eclipse.osgi.container.Module.start(Module.java:468)
```

```
at
```

```
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel$2.run(ModuleContainer.java:
1847)
```

```
at
```

```
org.eclipse.osgi.internal.framework.EquinoxContainerAdaptor$1$1.execute(EquinoxContainerAdaptor.java:
136)
```

```
at
```

```
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:
1840)
```

```
at
```

```
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:
1783)
```

```
at
```

```
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:
1745)
```

```
at
```

```
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:
1667)
```

```
at
```

```
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:
1)
```

```
at
```

```
org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:234)
```

```
at
```

```
org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:345)
```

```
Caused by: java.lang.NoClassDefFoundError: org/apache/derby/jdbc/EmbeddedDataSource
```

```
at org.eclipse.gemini.dbaccess.derby.Activator.start(Activator.java:54)
```

```
at
```

```
org.eclipse.osgi.internal.framework.BundleContextImpl$2.run(BundleContextImpl.java:813)
```

```
at
```

```
org.eclipse.osgi.internal.framework.BundleContextImpl$2.run(BundleContextImpl.java:1)
```

```
at java.base/java.security.AccessController.doPrivileged(AccessController.java:
569)
```

```
at
```

```
org.eclipse.osgi.internal.framework.BundleContextImpl.startActivator(BundleContextImpl.java:
805)
```

```
... 14 more
```

```
Caused by: java.lang.ClassNotFoundException: org.apache.derby.jdbc.EmbeddedDataSource
cannot be found by org.eclipse.gemini.dbaccess.derby_1.2.1
```

```
at
```

```
org.eclipse.osgi.internal.loader.BundleLoader.generateException(BundleLoader.java:529)
```

```
    at org.eclipse.osgi.internal.loader.BundleLoader.findClass0(BundleLoader.java:475)
    at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:416)
    at
org.eclipse.osgi.internal.loader.ModuleClassLoader.loadClass(ModuleClassLoader.java:168)
    at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:520)
    ... 19 more
Root exception:
java.lang.NoClassDefFoundError: org/apache/derby/jdbc/EmbeddedDataSource
    at org.eclipse.gemini.dbaccess.derby.Activator.start(Activator.java:54)
    at
org.eclipse.osgi.internal.framework.BundleContextImpl$2.run(BundleContextImpl.java:813)
    at
org.eclipse.osgi.internal.framework.BundleContextImpl$2.run(BundleContextImpl.java:1)
    at java.base/java.security.AccessController.doPrivileged(AccessController.java:
569)
    at
org.eclipse.osgi.internal.framework.BundleContextImpl.startActivator(BundleContextImpl.java:
805)
    at
org.eclipse.osgi.internal.framework.BundleContextImpl.start(BundleContextImpl.java:762)
    at
org.eclipse.osgi.internal.framework.EquinoxBundle.startWorker0(EquinoxBundle.java:1032)
    at
org.eclipse.osgi.internal.framework.EquinoxBundle$EquinoxModule.startWorker(EquinoxBundle.java:
371)
    at org.eclipse.osgi.container.Module.doStart(Module.java:605)
    at org.eclipse.osgi.container.Module.start(Module.java:468)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel$2.run(ModuleContainer.java:
1847)
    at
org.eclipse.osgi.internal.framework.EquinoxContainerAdaptor$1$1.execute(EquinoxContainerAdaptor.java:
136)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:
1840)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:
1783)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:
1745)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:
1667)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:
1)
    at
org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:234)
    at
org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:345)
Caused by: java.lang.ClassNotFoundException: org.apache.derby.jdbc.EmbeddedDataSource
cannot be found by org.eclipse.gemini.dbaccess.derby_1.2.1
    at
org.eclipse.osgi.internal.loader.BundleLoader.generateException(BundleLoader.java:529)
    at org.eclipse.osgi.internal.loader.BundleLoader.findClass0(BundleLoader.java:475)
    at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:416)
    at
org.eclipse.osgi.internal.loader.ModuleClassLoader.loadClass(ModuleClassLoader.java:168)
    at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:520)
    ... 19 more
```

!ENTRY org.eclipse.osgi 4 0 2024-02-14 11:13:48.092

!MESSAGE Das Produktpaket org.eclipse.gemini.dbaccess.derby_1.2.1 [3627] ist nicht aktiv.

```
!ENTRY org.eclipse.e4.ui.workbench 4 0 2024-02-14 11:14:16.890
!MESSAGE Unable to create class 'com.sebulli.fakturama.addons.HandlerProcessingAddon' from
bundle '3807'
!STACK 0
org.eclipse.e4.core.di.InjectionException: javax.persistence.PersistenceException:
Exception [EclipseLink-4002] (Eclipse Persistence Services - 2.7.10.v20211216-fe64cd39c3):
org.eclipse.persistence.exceptions.DatabaseException
Internal Exception: java.sql.SQLException: org.hsqldb.HsqlException:
java.io.FileNotFoundException: /media/joerg/SVR-HD-Daten/Dateien-FAKTURAMA/Database/
Database.lobs (Keine Berechtigung)
Error Code: -466
    at org.eclipse.e4.core.internal.di.MethodRequestor.execute(MethodRequestor.java:
68)
    at
org.eclipse.e4.core.internal.di.InjectorImpl.processAnnotated(InjectorImpl.java:995)
    at org.eclipse.e4.core.internal.di.InjectorImpl.internalInject(InjectorImpl.java:
140)
    at org.eclipse.e4.core.internal.di.InjectorImpl.internalMake(InjectorImpl.java:
403)
    at org.eclipse.e4.core.internal.di.InjectorImpl.make(InjectorImpl.java:344)
    at
org.eclipse.e4.core.contexts.ContextInjectionFactory.make(ContextInjectionFactory.java:
227)
    at
org.eclipse.e4.ui.internal.workbench.ReflectionContributionFactory.createFromBundle(ReflectionContribution
94)
    at
org.eclipse.e4.ui.internal.workbench.ReflectionContributionFactory.doCreate(ReflectionContributionFactory
60)
    at
org.eclipse.e4.ui.internal.workbench.ReflectionContributionFactory.create(ReflectionContributionFactory.j
37)
    at
org.eclipse.e4.ui.internal.workbench.swt.E4Application.createE4Workbench(E4Application.java:
276)
    at
org.eclipse.e4.ui.internal.workbench.swt.E4Application.start(E4Application.java:155)
    at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:
203)
    at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:
136)
    at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:
104)
    at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:401)
    at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:255)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/
jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
    at java.base/
jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:
43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
    at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:659)
    at org.eclipse.equinox.launcher.Main.basicRun(Main.java:596)
    at org.eclipse.equinox.launcher.Main.run(Main.java:1467)
    at org.eclipse.equinox.launcher.Main.main(Main.java:1440)
Caused by: javax.persistence.PersistenceException: Exception [EclipseLink-4002] (Eclipse
Persistence Services - 2.7.10.v20211216-fe64cd39c3):
org.eclipse.persistence.exceptions.DatabaseException
Internal Exception: java.sql.SQLException: org.hsqldb.HsqlException:
java.io.FileNotFoundException: /media/joerg/SVR-HD-Daten/Dateien-FAKTURAMA/Database/
Database.lobs (Keine Berechtigung)
Error Code: -466
    at
```

```
org.eclipse.persistence.internal.jpa.EntityManagerSetupImpl.deploy(EntityManagerSetupImpl.java:
858)
    at
org.eclipse.persistence.internal.jpa.EntityManagerFactoryDelegate.getAbstractSession(EntityManagerFactory
222)
    at
org.eclipse.persistence.internal.jpa.EntityManagerFactoryDelegate.createEntityManagerImpl(EntityManagerFa
330)
    at
org.eclipse.persistence.internal.jpa.EntityManagerFactoryImpl.createEntityManagerImpl(EntityManagerFactor
350)
    at
org.eclipse.persistence.internal.jpa.EntityManagerFactoryImpl.createEntityManager(EntityManagerFactoryImp
313)
        at org.eclipse.gemini.ext.di.impl.GeminiEMSupplier.get(GeminiEMSupplier.java:39)
        at org.eclipse.e4.core.internal.di.InjectorImpl.resolveArgs(InjectorImpl.java:518)
        at
org.eclipse.e4.core.internal.di.InjectorImpl.resolveRequestorArgs(InjectorImpl.java:459)
        at org.eclipse.e4.core.internal.di.InjectorImpl.internalInject(InjectorImpl.java:
129)
        at org.eclipse.e4.core.internal.di.InjectorImpl.internalMake(InjectorImpl.java:
403)
        at org.eclipse.e4.core.internal.di.InjectorImpl.resolveArgs(InjectorImpl.java:554)
        at
org.eclipse.e4.core.internal.di.InjectorImpl.resolveRequestorArgs(InjectorImpl.java:459)
        at org.eclipse.e4.core.internal.di.InjectorImpl.internalInject(InjectorImpl.java:
129)
        at org.eclipse.e4.core.internal.di.InjectorImpl.internalMake(InjectorImpl.java:
403)
        at org.eclipse.e4.core.internal.di.InjectorImpl.make(InjectorImpl.java:330)
        at
org.eclipse.e4.core.contexts.ContextInjectionFactory.make(ContextInjectionFactory.java:
202)
    at
com.sebulli.fakturama.addons.HandlerProcessingAddon.defineAdditionalParameterTypes(HandlerProcessingAddon
88)
    at
com.sebulli.fakturama.addons.HandlerProcessingAddon.postConstruct(HandlerProcessingAddon.java:
62)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/
jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/
jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:
43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:568)
        at org.eclipse.e4.core.internal.di.MethodRequestor.execute(MethodRequestor.java:
58)
    ... 23 more
Caused by: Exception [EclipseLink-4002] (Eclipse Persistence Services - 2.7.10.v20211216-
fe64cd39c3): org.eclipse.persistence.exceptions.DatabaseException
Internal Exception: java.sql.SQLException: org.hsqldb.HsqlException:
java.io.FileNotFoundException: /media/joerg/SVR-HD-Daten/Dateien-FAKTURAMA/Database/
Database.lobs (Keine Berechtigung)
Error Code: -466
    at
org.eclipse.persistence.exceptions.DatabaseException.sqlException(DatabaseException.java:
318)
        at org.eclipse.persistence.sessions.JNDIConnector.connect(JNDIConnector.java:150)
        at
org.eclipse.persistence.sessions.DatasourceLogin.connectToDatasource(DatasourceLogin.java:
172)
    at
org.eclipse.persistence.internal.sessions.DatabaseSessionImpl.setOrDetectDatasource(DatabaseSessionImpl.j
225)
    at
```

```
org.eclipse.persistence.internal.sessions.DatabaseSessionImpl.loginAndDetectDatasource(DatabaseSessionImpl
809)
    at
org.eclipse.persistence.internal.jpa.EntityManagerFactoryProvider.login(EntityManagerFactoryProvider.java:
261)
    at
org.eclipse.persistence.internal.jpa.EntityManagerSetupImpl.deploy(EntityManagerSetupImpl.java:
773)
    ... 45 more
Caused by: java.sql.SQLException: org.hsqldb.HsqlException:
java.io.FileNotFoundException: /media/joerg/SVR-HD-Daten/Dateien-FAKTURAMA/Database/
Database.lobs (Keine Berechtigung)
    at org.hsqldb.jdbc.JDBCUtil.sqlException(Unknown Source)
    at org.hsqldb.jdbc.JDBCUtil.sqlException(Unknown Source)
    at org.hsqldb.jdbc.JDBCConnection.<init>(Unknown Source)
    at org.hsqldb.jdbc.JBCDriver.getConnection(Unknown Source)
    at org.hsqldb.jdbc.JBCDriver.connect(Unknown Source)
    at
org.eclipse.gemini.jpa.datasource.PlainDriverDataSource.getConnection(PlainDriverDataSource.java:
56)
    at org.eclipse.persistence.sessions.JNDIConnector.connect(JNDIConnector.java:147)
    ... 50 more
Caused by: org.hsqldb.HsqlException: org.hsqldb.HsqlException:
java.io.FileNotFoundException: /media/joerg/SVR-HD-Daten/Dateien-FAKTURAMA/Database/
Database.lobs (Keine Berechtigung)
    at org.hsqldb.error.Error.error(Unknown Source)
    at org.hsqldb.persist.LobStoreRAFile.<init>(Unknown Source)
    at org.hsqldb.persist.LobManager.open(Unknown Source)
    at org.hsqldb.Database.reopen(Unknown Source)
    at org.hsqldb.Database.open(Unknown Source)
    at org.hsqldb.DatabaseManager.getDatabase(Unknown Source)
    at org.hsqldb.DatabaseManager.newSession(Unknown Source)
    ... 55 more
Caused by: org.hsqldb.HsqlException: java.io.FileNotFoundException: /media/joerg/SVR-HD-
Daten/Dateien-FAKTURAMA/Database/Database.lobs (Keine Berechtigung)
    at org.hsqldb.error.Error.error(Unknown Source)
    at org.hsqldb.persist.LobStoreRAFile.openFile(Unknown Source)
    ... 61 more
Caused by: java.io.FileNotFoundException: /media/joerg/SVR-HD-Daten/Dateien-FAKTURAMA/
Database/Database.lobs (Keine Berechtigung)
    at java.base/java.io.RandomAccessFile.open0(Native Method)
    at java.base/java.io.RandomAccessFile.open(RandomAccessFile.java:344)
    at java.base/java.io.RandomAccessFile.<init>(RandomAccessFile.java:259)
    at java.base/java.io.RandomAccessFile.<init>(RandomAccessFile.java:213)
    at java.base/java.io.RandomAccessFile.<init>(RandomAccessFile.java:127)
    at org.hsqldb.persist.RAFileSimple.<init>(Unknown Source)
    ... 62 more

!ENTRY org.eclipse.e4.ui.workbench.swt 4 2 2024-02-14 11:14:27.762
!MESSAGE Beim Aufrufen des Codes vom Plug-in sind Fehler aufgetreten:
"org.eclipse.e4.ui.workbench.swt".
!STACK 0
javax.persistence.PersistenceException: Exception [EclipseLink-4002] (Eclipse Persistence
Services - 2.7.10.v20211216-fe64cd39c3):
org.eclipse.persistence.exceptions.DatabaseException
Internal Exception: java.sql.SQLException: Database lock acquisition failure: lockFile:
org.hsqldb.persist.LockFile@2c0e8232[file =/media/joerg/SVR-HD-Daten/Dateien-FAKTURAMA/
Database/Database.lck, exists=true, locked=false, valid=false, ] method: checkHeartbeat
read: 2024-02-14 10:14:26 heartbeat - read: -83 ms.
Error Code: -451
    at
org.eclipse.persistence.internal.jpa.EntityManagerSetupImpl.deploy(EntityManagerSetupImpl.java:
858)
    at
org.eclipse.persistence.internal.jpa.EntityManagerFactoryDelegate.getAbstractSession(EntityManagerFactory
222)
```

```
        at
org.eclipse.persistence.internal.jpa.EntityManagerFactoryDelegate.createEntityManagerImpl(EntityManagerFactoryImpl.java:330)
        at
org.eclipse.persistence.internal.jpa.EntityManagerFactoryImpl.createEntityManagerImpl(EntityManagerFactoryImpl.java:350)
        at
org.eclipse.persistence.internal.jpa.EntityManagerFactoryImpl.createEntityManager(EntityManagerFactoryImpl.java:313)
            at org.eclipse.gemini.ext.di.impl.GeminiEMSupplier.get(GeminiEMSupplier.java:39)
            at org.eclipse.e4.core.internal.di.InjectorImpl.resolveArgs(InjectorImpl.java:518)
            at
org.eclipse.e4.core.internal.di.InjectorImpl.resolveRequestorArgs(InjectorImpl.java:459)
            at org.eclipse.e4.core.internal.di.InjectorImpl.internalInject(InjectorImpl.java:129)
            at org.eclipse.e4.core.internal.di.InjectorImpl.internalMake(InjectorImpl.java:403)
            at org.eclipse.e4.core.internal.di.InjectorImpl.resolveArgs(InjectorImpl.java:554)
            at
org.eclipse.e4.core.internal.di.InjectorImpl.resolveRequestorArgs(InjectorImpl.java:459)
            at org.eclipse.e4.core.internal.di.InjectorImpl.internalInject(InjectorImpl.java:129)
            at org.eclipse.e4.core.internal.di.InjectorImpl.internalMake(InjectorImpl.java:403)
            at org.eclipse.e4.core.internal.di.InjectorImpl.make(InjectorImpl.java:330)
            at
org.eclipse.e4.core.contexts.ContextInjectionFactory.make(ContextInjectionFactory.java:202)
            at
org.eclipse.e4.ui.internal.workbench.ReflectionContributionFactory.createFromBundle(ReflectionContributionFactoryImpl.java:91)
            at
org.eclipse.e4.ui.internal.workbench.ReflectionContributionFactory.doCreate(ReflectionContributionFactoryImpl.java:60)
            at
org.eclipse.e4.ui.internal.workbench.ReflectionContributionFactory.create(ReflectionContributionFactoryImpl.java:42)
            at
org.eclipse.e4.ui.workbench.renderers.swt ContributedPartRenderer.createWidget(ContributedPartRenderer.java:132)
            at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.createWidget(PartRenderingEngine.java:995)
            at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:659)
            at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:763)
            at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$2.run(PartRenderingEngine.java:728)
                at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:45)
                at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.createGui(PartRenderingEngine.java:712)
                at
org.eclipse.e4.ui.workbench.renderers.swt.StackRenderer.showTab(StackRenderer.java:1209)
                at
org.eclipse.e4.ui.workbench.renderers.swt.LazyStackRenderer.postProcess(LazyStackRenderer.java:116)
                at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:677)
                at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:959)
```

```
763)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$2.run(PartRenderingEngine.java:
728)
    at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:45)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.createGui(PartRenderingEngine.java:
712)
    at
org.eclipse.e4.ui.workbench.renderers.swt.SWTPartRenderer.processContents(SWTPartRenderer.java:
72)
    at
org.eclipse.e4.ui.workbench.renderers.swt.SashRenderer.processContents(SashRenderer.java:
150)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
673)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
763)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$2.run(PartRenderingEngine.java:
728)
    at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:45)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.createGui(PartRenderingEngine.java:
712)
    at
org.eclipse.e4.ui.workbench.renderers.swt.SWTPartRenderer.processContents(SWTPartRenderer.java:
72)
    at
org.eclipse.e4.ui.workbench.renderers.swt.SashRenderer.processContents(SashRenderer.java:
150)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
673)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
763)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$2.run(PartRenderingEngine.java:
728)
    at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:45)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.createGui(PartRenderingEngine.java:
712)
    at
org.eclipse.e4.ui.workbench.renderers.swt.SWTPartRenderer.processContents(SWTPartRenderer.java:
72)
    at
org.eclipse.e4.ui.workbench.renderers.swt.PerspectiveRenderer.processContents(PerspectiveRenderer.java:
51)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
673)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
763)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$2.run(PartRenderingEngine.java:
728)
    at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:45)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.createGui(PartRenderingEngine.java:
712)
    at
```

```
org.eclipse.e4.ui.workbench.renderers.swt.PerspectiveStackRenderer.showTab(PerspectiveStackRenderer.java:
82)
    at
org.eclipse.e4.ui.workbench.renderers.swt.LazyStackRenderer.postProcess(LazyStackRenderer.java:
116)
    at
org.eclipse.e4.ui.workbench.renderers.swt.PerspectiveStackRenderer.postProcess(PerspectiveStackRenderer.j
64)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
677)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
763)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$2.run(PartRenderingEngine.java:
728)
        at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:45)
        at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.createGui(PartRenderingEngine.java:
712)
    at
org.eclipse.e4.ui.workbench.renderers.swt.SWTPartRenderer.processContents(SWTPartRenderer.java:
72)
    at
org.eclipse.e4.ui.workbench.renderers.swt.WBWRenderer.processContents(WBWRenderer.java:
658)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
673)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
763)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$2.run(PartRenderingEngine.java:
728)
        at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:45)
        at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.createGui(PartRenderingEngine.java:
712)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$5.run(PartRenderingEngine.java:
1083)
        at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:338)
        at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.run(PartRenderingEngine.java:
1046)
    at
org.eclipse.e4.ui.internal.workbench.E4Workbench.createAndRunUI(E4Workbench.java:155)
    at
org.eclipse.e4.ui.internal.workbench.swt.E4Application.start(E4Application.java:168)
        at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:
203)
    at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:
136)
    at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:
104)
        at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:401)
        at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:255)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/
jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/
jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:
```

43)

```
    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
    at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:659)
    at org.eclipse.equinox.launcher.Main.basicRun(Main.java:596)
    at org.eclipse.equinox.launcher.Main.run(Main.java:1467)
    at org.eclipse.equinox.launcher.Main.main(Main.java:1440)
Caused by: Exception [EclipseLink-4002] (Eclipse Persistence Services - 2.7.10.v20211216-
fe64cd39c3): org.eclipse.persistence.exceptions.DatabaseException
Internal Exception: java.sql.SQLException: Database lock acquisition failure: lockFile:
org.hsqldb.persist.LockFile@2c0e8232[file =/media/joerg/SVR-HD-Daten/Dateien-FAKTURAMA/
Database/Database.lck, exists=true, locked=false, valid=false, ] method: checkHeartbeat
read: 2024-02-14 10:14:26 heartbeat - read: -83 ms.
Error Code: -451
    at
org.eclipse.persistence.exceptions.DatabaseException.sqlException(DatabaseException.java:
318)
    at org.eclipse.persistence.sessions.JNDIConnector.connect(JNDIConnector.java:150)
    at
org.eclipse.persistence.sessions.DatasourceLogin.connectToDatasource(DatasourceLogin.java:
172)
    at
org.eclipse.persistence.internal.sessions.DatabaseSessionImpl.setOrDetectDatasource(DatabaseSessionImpl.j
225)
    at
org.eclipse.persistence.internal.sessions.DatabaseSessionImpl.loginAndDetectDatasource(DatabaseSessionImp
809)
    at
org.eclipse.persistence.internal.jpa.EntityManagerFactoryProvider.login(EntityManagerFactoryProvider.java
261)
    at
org.eclipse.persistence.internal.jpa.EntityManagerSetupImpl.deploy(EntityManagerSetupImpl.java:
773)
    ... 86 more
Caused by: java.sql.SQLException: Database lock acquisition failure: lockFile:
org.hsqldb.persist.LockFile@2c0e8232[file =/media/joerg/SVR-HD-Daten/Dateien-FAKTURAMA/
Database/Database.lck, exists=true, locked=false, valid=false, ] method: checkHeartbeat
read: 2024-02-14 10:14:26 heartbeat - read: -83 ms.
    at org.hsqldb.jdbc.JDBCUtil.sqlException(Unknown Source)
    at org.hsqldb.jdbc.JDBCUtil.sqlException(Unknown Source)
    at org.hsqldb.jdbc.JDBCConnection.<init>(Unknown Source)
    at org.hsqldb.jdbc.JBCDriver.getConnection(Unknown Source)
    at org.hsqldb.jdbc.JBCDriver.connect(Unknown Source)
    at
org.eclipse.gemini.jpa.datasource.PlainDriverDataSource.getConnection(PlainDriverDataSource.java:
56)
    at org.eclipse.persistence.sessions.JNDIConnector.connect(JNDIConnector.java:147)
    ... 91 more
Caused by: org.hsqldb.HsqlException: Database lock acquisition failure: lockFile:
org.hsqldb.persist.LockFile@2c0e8232[file =/media/joerg/SVR-HD-Daten/Dateien-FAKTURAMA/
Database/Database.lck, exists=true, locked=false, valid=false, ] method: checkHeartbeat
read: 2024-02-14 10:14:26 heartbeat - read: -83 ms.
    at org.hsqldb.error.Error.error(Unknown Source)
    at org.hsqldb.error.Error.error(Unknown Source)
    at org.hsqldb.persist.LockFile.newLockFileLock(Unknown Source)
    at org.hsqldb.persist.Logger.acquireLock(Unknown Source)
    at org.hsqldb.persist.Logger.open(Unknown Source)
    at org.hsqldb.Database.reopen(Unknown Source)
    at org.hsqldb.Database.open(Unknown Source)
    at org.hsqldb.DatabaseManager.getDatabase(Unknown Source)
    at org.hsqldb.DatabaseManager.newSession(Unknown Source)
    ... 96 more

!ENTRY org.eclipse.e4.ui.workbench 4 0 2024-02-14 11:14:27.771
!MESSAGE Exception occurred while rendering:
fakturama.views.documentTable=org.eclipse.e4.ui.model.application.ui.basic.impl.PartImpl@357c9bd9
(tags: [NoMove], contributorURI: platform:/plugin/com.sebulli.fakturama.rcp) (widget:
```

```
ContributedPartRenderer$1 {} [layout=FillLayout {type=SWT.VERTICAL}], renderer:
org.eclipse.e4.ui.workbench.renderers.swt.ContributedPartRenderer@3eb0fd88, toBeRendered:
true, onTop: false, visible: true, containerData: null, accessibilityPhrase: null)
(contributionURI: bundleclass://com.sebulli.fakturama.rcp/
com.sebulli.fakturama.views.datatable.documents.DocumentsListTable, object: null, context:
PartImpl (fakturama.views.documentTable) Context, variables: [datalists], label:
%command.documents.name, iconURI: icon://COMMAND_LETTER, tooltip: , dirty: false,
closeable: true, description: null)
!STACK 0
javax.persistence.PersistenceException: Exception [EclipseLink-4002] (Eclipse Persistence
Services - 2.7.10.v20211216-fe64cd39c3):
org.eclipse.persistence.exceptions.DatabaseException
Internal Exception: java.sql.SQLException: Database lock acquisition failure: lockFile:
org.hsqldb.persist.LockFile@2c0e8232[file =/media/joerg/SVR-HD-Daten/Dateien-FAKTURAMA/
Database/Database.lck, exists=true, locked=false, valid=false, ] method: checkHeartbeat
read: 2024-02-14 10:14:26 heartbeat - read: -83 ms.
Error Code: -451
    at
org.eclipse.persistence.internal.jpa.EntityManagerSetupImpl.deploy(EntityManagerSetupImpl.java:
858)
    at
org.eclipse.persistence.internal.jpa.EntityManagerFactoryDelegate.getAbstractSession(EntityManagerFactory
222)
    at
org.eclipse.persistence.internal.jpa.EntityManagerFactoryDelegate.createEntityManagerImpl(EntityManagerFa
330)
    at
org.eclipse.persistence.internal.jpa.EntityManagerFactoryImpl.createEntityManagerImpl(EntityManagerFactor
350)
    at
org.eclipse.persistence.internal.jpa.EntityManagerFactoryImpl.createEntityManager(EntityManagerFactoryImp
313)
        at org.eclipse.gemini.ext.di.impl.GeminiEMSupplier.get(GeminiEMSupplier.java:39)
        at org.eclipse.e4.core.internal.di.InjectorImpl.resolveArgs(InjectorImpl.java:518)
        at
org.eclipse.e4.core.internal.di.InjectorImpl.resolveRequestorArgs(InjectorImpl.java:459)
        at org.eclipse.e4.core.internal.di.InjectorImpl.internalInject(InjectorImpl.java:
129)
        at org.eclipse.e4.core.internal.di.InjectorImpl.internalMake(InjectorImpl.java:
403)
        at org.eclipse.e4.core.internal.di.InjectorImpl.resolveArgs(InjectorImpl.java:554)
        at
org.eclipse.e4.core.internal.di.InjectorImpl.resolveRequestorArgs(InjectorImpl.java:459)
        at org.eclipse.e4.core.internal.di.InjectorImpl.internalInject(InjectorImpl.java:
129)
        at org.eclipse.e4.core.internal.di.InjectorImpl.internalMake(InjectorImpl.java:
403)
        at org.eclipse.e4.core.internal.di.InjectorImpl.make(InjectorImpl.java:330)
        at
org.eclipse.e4.core.contexts.ContextInjectionFactory.make(ContextInjectionFactory.java:
202)
    at
org.eclipse.e4.ui.internal.workbench.ReflectionContributionFactory.createFromBundle(ReflectionContributio
91)
    at
org.eclipse.e4.ui.internal.workbench.ReflectionContributionFactory.doCreate(ReflectionContributionFactory
60)
    at
org.eclipse.e4.ui.internal.workbench.ReflectionContributionFactory.create(ReflectionContributionFactory.j
42)
    at
org.eclipse.e4.ui.workbench.renderers.swt.ContributedPartRenderer.createWidget(ContributedPartRenderer.j
132)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.createWidget(PartRenderingEngine.java:
995)
```

```
        at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
659)
        at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
763)
        at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$2.run(PartRenderingEngine.java:
728)
            at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:45)
            at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.createGui(PartRenderingEngine.java:
712)
            at
org.eclipse.e4.ui.workbench.renderers.swt.StackRenderer.showTab(StackRenderer.java:1209)
            at
org.eclipse.e4.ui.workbench.renderers.swt.LazyStackRenderer.postProcess(LazyStackRenderer.java:
116)
            at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
677)
            at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
763)
            at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$2.run(PartRenderingEngine.java:
728)
                at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:45)
                at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.createGui(PartRenderingEngine.java:
712)
                at
org.eclipse.e4.ui.workbench.renderers.swt.SWTPartRenderer.processContents(SWTPartRenderer.java:
72)
                at
org.eclipse.e4.ui.workbench.renderers.swt.SashRenderer.processContents(SashRenderer.java:
150)
                at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
673)
                at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
763)
                at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$2.run(PartRenderingEngine.java:
728)
                    at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:45)
                    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.createGui(PartRenderingEngine.java:
712)
                    at
org.eclipse.e4.ui.workbench.renderers.swt.SWTPartRenderer.processContents(SWTPartRenderer.java:
72)
                    at
org.eclipse.e4.ui.workbench.renderers.swt.SashRenderer.processContents(SashRenderer.java:
150)
                    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
673)
                    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
763)
                    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$2.run(PartRenderingEngine.java:
728)
                        at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:45)
```

```
        at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.createGui(PartRenderingEngine.java:
712)
        at
org.eclipse.e4.ui.workbench.renderers.swt.SWTPartRenderer.processContents(SWTPartRenderer.java:
72)
        at
org.eclipse.e4.ui.workbench.renderers.swt.PerspectiveRenderer.processContents(PerspectiveRenderer.java:
51)
        at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
673)
        at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
763)
        at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$2.run(PartRenderingEngine.java:
728)
            at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:45)
            at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.createGui(PartRenderingEngine.java:
712)
            at
org.eclipse.e4.ui.workbench.renderers.swt.PerspectiveStackRenderer.showTab(PerspectiveStackRenderer.java:
82)
            at
org.eclipse.e4.ui.workbench.renderers.swt.LazyStackRenderer.postProcess(LazyStackRenderer.java:
116)
            at
org.eclipse.e4.ui.workbench.renderers.swt.PerspectiveStackRenderer.postProcess(PerspectiveStackRenderer.j
64)
            at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
677)
            at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
763)
            at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$2.run(PartRenderingEngine.java:
728)
                at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:45)
                at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.createGui(PartRenderingEngine.java:
712)
                at
org.eclipse.e4.ui.workbench.renderers.swt.SWTPartRenderer.processContents(SWTPartRenderer.java:
72)
                at
org.eclipse.e4.ui.workbench.renderers.swt.WBWRenderer.processContents(WBWRenderer.java:
658)
                at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
673)
                at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:
763)
                at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$2.run(PartRenderingEngine.java:
728)
                    at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:45)
                    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.createGui(PartRenderingEngine.java:
712)
                    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$5.run(PartRenderingEngine.java:
1083)
```

```
        at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:338)
        at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.run(PartRenderingEngine.java:
1046)
        at
org.eclipse.e4.ui.internal.workbench.E4Workbench.createAndRunUI(E4Workbench.java:155)
        at
org.eclipse.e4.ui.internal.workbench.swt.E4Application.start(E4Application.java:168)
        at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:
203)
        at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.java:
136)
        at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:
104)
            at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:401)
            at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:255)
            at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
            at java.base/
jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
            at java.base/
jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:
43)
                at java.base/java.lang.reflect.Method.invoke(Method.java:568)
                at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:659)
                at org.eclipse.equinox.launcher.Main.basicRun(Main.java:596)
                at org.eclipse.equinox.launcher.Main.run(Main.java:1467)
                at org.eclipse.equinox.launcher.Main.main(Main.java:1440)
Caused by: Exception [EclipseLink-4002] (Eclipse Persistence Services - 2.7.10.v20211216-
fe64cd39c3): org.eclipse.persistence.exceptions.DatabaseException
Internal Exception: java.sql.SQLException: Database lock acquisition failure: lockFile:
org.hsqldb.persist.LockFile@2c0e8232[file =/media/joerg/SVR-HD-Daten/Dateien-FAKTURAMA/
Database/Database.lck, exists=true, locked=false, valid=false, ] method: checkHeartbeat
read: 2024-02-14 10:14:26 heartbeat - read: -83 ms.
Error Code: -451
        at
org.eclipse.persistence.exceptions.DatabaseException.sqlException(DatabaseException.java:
318)
            at org.eclipse.persistence.sessions.JNDIConnector.connect(JNDIConnector.java:150)
            at
org.eclipse.persistence.sessions.DatasourceLogin.connectToDatasource(DatasourceLogin.java:
172)
            at
org.eclipse.persistence.internal.sessions.DatabaseSessionImpl.setOrDetectDatasource(DatabaseSessionImpl.j
225)
            at
org.eclipse.persistence.internal.sessions.DatabaseSessionImpl.loginAndDetectDatasource(DatabaseSessionImpl
809)
            at
org.eclipse.persistence.internal.jpa.EntityManagerFactoryProvider.login(EntityManagerFactoryProvider.java
261)
            at
org.eclipse.persistence.internal.jpa.EntityManagerSetupImpl.deploy(EntityManagerSetupImpl.java:
773)
            ... 86 more
Caused by: java.sql.SQLException: Database lock acquisition failure: lockFile:
org.hsqldb.persist.LockFile@2c0e8232[file =/media/joerg/SVR-HD-Daten/Dateien-FAKTURAMA/
Database/Database.lck, exists=true, locked=false, valid=false, ] method: checkHeartbeat
read: 2024-02-14 10:14:26 heartbeat - read: -83 ms.
            at org.hsqldb.jdbc.JDBCUtil.sqlException(Unknown Source)
            at org.hsqldb.jdbc.JDBCUtil.sqlException(Unknown Source)
            at org.hsqldb.jdbc.JDBCConnection.<init>(Unknown Source)
            at org.hsqldb.jdbc.JBCDriver.getConnection(Unknown Source)
            at org.hsqldb.jdbc.JBCDriver.connect(Unknown Source)
            at
```

```
org.eclipse.gemini.jpa.datasource.PlainDriverDataSource.getConnection(PlainDriverDataSource.java:56)
```

```
    at org.eclipse.persistence.sessions.JNDIConnector.connect(JNDIConnector.java:147)
    ... 91 more
```

```
Caused by: org.hsquidb.HsqlException: Database lock acquisition failure: lockFile:
org.hsquidb.persist.LockFile@2c0e8232[file =/media/joerg/SVR-HD-Daten/Dateien-FAKTURAMA/
Database/Database.lck, exists=true, locked=false, valid=false, ] method: checkHeartbeat
read: 2024-02-14 10:14:26 heartbeat - read: -83 ms.
```

```
    at org.hsquidb.error.Error.error(Unknown Source)
    at org.hsquidb.error.Error.error(Unknown Source)
    at org.hsquidb.persist.LockFile.newLockFileLock(Unknown Source)
    at org.hsquidb.persist.Logger.acquireLock(Unknown Source)
    at org.hsquidb.persist.Logger.open(Unknown Source)
    at org.hsquidb.Database.reopen(Unknown Source)
    at org.hsquidb.Database.open(Unknown Source)
    at org.hsquidb.DatabaseManager.getDatabase(Unknown Source)
    at org.hsquidb.DatabaseManager.newSession(Unknown Source)
    ... 96 more
```

```
!ENTRY org.eclipse.e4.ui.workbench 4 0 2024-02-14 11:14:27.880
```

```
!MESSAGE Unable to generate the parameterized command with the id
```

```
"com.sebulli.fakturama.command.webShopImport" with the
```

```
{org.fakturama.webshop.connector.action=import-orders,
```

```
com.sebulli.fakturama.webshopimport.prepareGetProductsAndOrders=true} parameter(s). Model
```

```
details:
```

```
menu:main.menu.file.webshop.id=org.eclipse.e4.ui.model.application.ui.menu.impl.HandledMenuItemImpl@3249e
```

```
(tags: null, contributorURI: platform:/plugin/com.sebulli.fakturama.rcp) (widget: null,
```

```
renderer: org.eclipse.e4.ui.workbench.renderers.swt.MenuManagerRenderer@12a0d249,
```

```
toBeRendered: true, onTop: false, visible: true, containerData: null, accessibilityPhrase:
```

```
null) (label: %command.webshop.name, iconURI: icon://COMMAND_SHOP, tooltip:
```

```
%command.webshop.tooltip, enabled: false, selected: false, type: Push) (mnemonics: null)
```

```
(wbCommand: null)
```

```
!ENTRY org.eclipse.e4.ui.workbench 4 0 2024-02-14 11:14:27.907
```

```
!MESSAGE Unable to generate the parameterized command with the id
```

```
"com.sebulli.fakturama.command.callEditor" with the
```

```
{com.sebulli.fakturama.editors.category=LETTER, org.fakturama.rcp.forcenew=true,
```

```
com.sebulli.fakturama.editors.editortype=com.sebulli.fakturama.editors.documentEditor}
```

```
parameter(s). Model details:
```

```
menu:main.menu.new.document.id=org.eclipse.e4.ui.model.application.ui.menu.impl.HandledMenuItemImpl@7a2fc
```

```
(tags: null, contributorURI: platform:/plugin/com.sebulli.fakturama.rcp) (widget: null,
```

```
renderer: org.eclipse.e4.ui.workbench.renderers.swt.MenuManagerRenderer@12a0d249,
```

```
toBeRendered: true, onTop: false, visible: true, containerData: null, accessibilityPhrase:
```

```
null) (label: %main.menu.new.letter, iconURI: icon://COMMAND_LETTER, tooltip: , enabled:
```

```
true, selected: false, type: Push) (mnemonics: null) (wbCommand: null)
```

```
!ENTRY org.eclipse.e4.ui.workbench 4 0 2024-02-14 11:14:27.919
```

```
!MESSAGE Unable to generate the parameterized command with the id
```

```
"com.sebulli.fakturama.command.callEditor" with the
```

```
{com.sebulli.fakturama.editors.category=OFFER, org.fakturama.rcp.forcenew=true,
```

```
com.sebulli.fakturama.editors.editortype=com.sebulli.fakturama.editors.documentEditor}
```

```
parameter(s). Model details:
```

```
menu:main.menu.new.offer.id=org.eclipse.e4.ui.model.application.ui.menu.impl.HandledMenuItemImpl@1f66d8e1
```

```
(tags: null, contributorURI: platform:/plugin/com.sebulli.fakturama.rcp) (widget: null,
```

```
renderer: org.eclipse.e4.ui.workbench.renderers.swt.MenuManagerRenderer@12a0d249,
```

```
toBeRendered: true, onTop: false, visible: true, containerData: null, accessibilityPhrase:
```

```
null) (label: %main.menu.new.offer, iconURI: icon://COMMAND_OFFER, tooltip: null, enabled:
```

```
true, selected: false, type: Push) (mnemonics: null) (wbCommand: null)
```

```
!ENTRY org.eclipse.e4.ui.workbench 4 0 2024-02-14 11:14:27.921
```

```
!MESSAGE Unable to generate the parameterized command with the id
```

```
"com.sebulli.fakturama.command.callEditor" with the
```

```
{com.sebulli.fakturama.editors.category=ORDER, org.fakturama.rcp.forcenew=true,
```

```
com.sebulli.fakturama.editors.editortype=com.sebulli.fakturama.editors.documentEditor}
```

```
parameter(s). Model details:
```

```
menu:main.menu.new.order.id=org.eclipse.e4.ui.model.application.ui.menu.impl.HandledMenuItemImpl@68b7d0ef
```

```
(tags: null, contributorURI: platform:/plugin/com.sebulli.fakturama.rcp) (widget: null,
renderer: org.eclipse.e4.ui.workbench.renderers.swt.MenuManagerRenderer@12a0d249,
toBeRendered: true, onTop: false, visible: true, containerData: null, accessibilityPhrase:
null) (label: %main.menu.new.order, iconURI: icon://COMMAND_ORDER, tooltip: null, enabled:
true, selected: false, type: Push) (mnemonics: null) (wbCommand: null)
```

```
!ENTRY org.eclipse.e4.ui.workbench 4 0 2024-02-14 11:14:27.928
```

```
!MESSAGE Unable to generate the parameterized command with the id
```

```
"com.sebulli.fakturama.command.callEditor" with the
```

```
{com.sebulli.fakturama.editors.category=CONFIRMATION, org.fakturama.rcp.forcenew=true,
com.sebulli.fakturama.editors.editortype=com.sebulli.fakturama.editors.documentEditor}
parameter(s). Model details:
```

```
menu:main.menu.new.confirmation.id=org.eclipse.e4.ui.model.application.ui.menu.impl.HandledMenuItemImpl@2
```

```
(tags: null, contributorURI: platform:/plugin/com.sebulli.fakturama.rcp) (widget: null,
renderer: org.eclipse.e4.ui.workbench.renderers.swt.MenuManagerRenderer@12a0d249,
toBeRendered: true, onTop: false, visible: true, containerData: null, accessibilityPhrase:
null) (label: %main.menu.new.confirmation, iconURI: icon://COMMAND_CONFIRMATION, tooltip:
null, enabled: true, selected: false, type: Push) (mnemonics: null) (wbCommand: null)
```

```
!ENTRY org.eclipse.e4.ui.workbench 4 0 2024-02-14 11:14:27.930
```

```
!MESSAGE Unable to generate the parameterized command with the id
```

```
"com.sebulli.fakturama.command.callEditor" with the
```

```
{com.sebulli.fakturama.editors.category=INVOICE, org.fakturama.rcp.forcenew=true,
com.sebulli.fakturama.editors.editortype=com.sebulli.fakturama.editors.documentEditor}
parameter(s). Model details:
```

```
menu:main.menu.new.invoice.id=org.eclipse.e4.ui.model.application.ui.menu.impl.HandledMenuItemImpl@f5a722
```

```
(tags: null, contributorURI: platform:/plugin/com.sebulli.fakturama.rcp) (widget: null,
renderer: org.eclipse.e4.ui.workbench.renderers.swt.MenuManagerRenderer@12a0d249,
toBeRendered: true, onTop: false, visible: true, containerData: null, accessibilityPhrase:
null) (label: %main.menu.new.invoice, iconURI: icon://COMMAND_INVOICE, tooltip: null,
enabled: true, selected: false, type: Push) (mnemonics: null) (wbCommand: null)
```

```
!ENTRY org.eclipse.e4.ui.workbench 4 0 2024-02-14 11:14:27.936
```

```
!MESSAGE Unable to generate the parameterized command with the id
```

```
"com.sebulli.fakturama.command.callEditor" with the
```

```
{com.sebulli.fakturama.editors.category=DELIVERY, org.fakturama.rcp.forcenew=true,
com.sebulli.fakturama.editors.editortype=com.sebulli.fakturama.editors.documentEditor}
parameter(s). Model details:
```

```
menu:main.menu.new.delivery.id=org.eclipse.e4.ui.model.application.ui.menu.impl.HandledMenuItemImpl@22da2
```

```
(tags: null, contributorURI: platform:/plugin/com.sebulli.fakturama.rcp) (widget: null,
renderer: org.eclipse.e4.ui.workbench.renderers.swt.MenuManagerRenderer@12a0d249,
toBeRendered: true, onTop: false, visible: true, containerData: null, accessibilityPhrase:
null) (label: %main.menu.new.deliverynote, iconURI: icon://COMMAND_DELIVERY, tooltip:
null, enabled: true, selected: false, type: Push) (mnemonics: null) (wbCommand: null)
```

```
!ENTRY org.eclipse.e4.ui.workbench 4 0 2024-02-14 11:14:27.937
```

```
!MESSAGE Unable to generate the parameterized command with the id
```

```
"com.sebulli.fakturama.command.callEditor" with the
```

```
{com.sebulli.fakturama.editors.category=CREDIT, org.fakturama.rcp.forcenew=true,
com.sebulli.fakturama.editors.editortype=com.sebulli.fakturama.editors.documentEditor}
parameter(s). Model details:
```

```
menu:main.menu.new.credit.id=org.eclipse.e4.ui.model.application.ui.menu.impl.HandledMenuItemImpl@11787b6
```

```
(tags: null, contributorURI: platform:/plugin/com.sebulli.fakturama.rcp) (widget: null,
renderer: org.eclipse.e4.ui.workbench.renderers.swt.MenuManagerRenderer@12a0d249,
toBeRendered: true, onTop: false, visible: true, containerData: null, accessibilityPhrase:
null) (label: %main.menu.new.credit, iconURI: icon://COMMAND_CREDIT, tooltip: null,
enabled: true, selected: false, type: Push) (mnemonics: null) (wbCommand: null)
```

```
!ENTRY org.eclipse.e4.ui.workbench 4 0 2024-02-14 11:14:27.938
```

```
!MESSAGE Unable to generate the parameterized command with the id
```

```
"com.sebulli.fakturama.command.callEditor" with the
```

```
{com.sebulli.fakturama.editors.category=DUNNING, org.fakturama.rcp.forcenew=true,
com.sebulli.fakturama.editors.editortype=com.sebulli.fakturama.editors.documentEditor}
parameter(s). Model details:
```

```
menu:main.menu.new.dunning.id=org.eclipse.e4.ui.model.application.ui.menu.impl.HandledMenuItemImpl@319642
```

```
(tags: null, contributorURI: platform:/plugin/com.sebulli.fakturama.rcp) (widget: null,
```

```
renderer: org.eclipse.e4.ui.workbench.renderers.swt.MenuManagerRenderer@12a0d249,
toBeRendered: true, onTop: false, visible: true, containerData: null, accessibilityPhrase:
null) (label: %main.menu.new.dunning, iconURI: icon://COMMAND_DUNNING, tooltip: null,
enabled: true, selected: false, type: Push) (mnemonics: null) (wbCommand: null)
```

```
!ENTRY org.eclipse.e4.ui.workbench 4 0 2024-02-14 11:14:27.939
```

```
!MESSAGE Unable to generate the parameterized command with the id
```

```
"com.sebulli.fakturama.command.callEditor" with the
```

```
{com.sebulli.fakturama.editors.category=PROFORMA, org.fakturama.rcp.forcenew=true,
com.sebulli.fakturama.editors.editortype=com.sebulli.fakturama.editors.documentEditor}
parameter(s). Model details:
```

```
menu:main.menu.new.proforma.id=org.eclipse.e4.ui.model.application.ui.menu.impl.HandledMenuItemImpl@68b11
(tags: null, contributorURI: platform:/plugin/com.sebulli.fakturama.rcp) (widget: null,
renderer: org.eclipse.e4.ui.workbench.renderers.swt.MenuManagerRenderer@12a0d249,
toBeRendered: true, onTop: false, visible: true, containerData: null, accessibilityPhrase:
null) (label: %main.menu.new.proforma, iconURI: icon://COMMAND_PROFORMA, tooltip: null,
enabled: true, selected: false, type: Push) (mnemonics: null) (wbCommand: null)
```

```
!ENTRY org.eclipse.e4.ui.workbench 4 0 2024-02-14 11:14:27.941
```

```
!MESSAGE Unable to generate the parameterized command with the id
```

```
"com.sebulli.fakturama.command.callEditor" with the {org.fakturama.rcp.forcenew=true,
com.sebulli.fakturama.editors.editortype=com.sebulli.fakturama.editors.debtorEditor}
parameter(s). Model details:
```

```
menu:main.menu.new.contact.id=org.eclipse.e4.ui.model.application.ui.menu.impl.HandledMenuItemImpl@7573b9
(tags: null, contributorURI: platform:/plugin/com.sebulli.fakturama.rcp) (widget: null,
renderer: org.eclipse.e4.ui.workbench.renderers.swt.MenuManagerRenderer@12a0d249,
toBeRendered: true, onTop: false, visible: true, containerData: null, accessibilityPhrase:
null) (label: %command.new.debtor.name, iconURI: icon://COMMAND_CONTACT, tooltip:
%command.new.debtor.tooltip, enabled: true, selected: false, type: Push) (mnemonics: )
(wbCommand: null)
```

```
!ENTRY org.eclipse.e4.ui.workbench 4 0 2024-02-14 11:14:27.942
```

```
!MESSAGE Unable to generate the parameterized command with the id
```

```
"com.sebulli.fakturama.command.callEditor" with the {org.fakturama.rcp.forcenew=true,
com.sebulli.fakturama.editors.editortype=com.sebulli.fakturama.editors.creditorEditor}
parameter(s). Model details:
```

```
com.sebulli.fakturama.rcp.handledmenuitem.commandnewcreditorname=org.eclipse.e4.ui.model.application.ui.m
(tags: null, contributorURI: platform:/plugin/com.sebulli.fakturama.rcp) (widget: null,
renderer: org.eclipse.e4.ui.workbench.renderers.swt.MenuManagerRenderer@12a0d249,
toBeRendered: true, onTop: false, visible: true, containerData: null, accessibilityPhrase:
null) (label: %command.new.creditor.name, iconURI: icon://COMMAND_VENDOR, tooltip:
%command.new.creditor.tooltip, enabled: true, selected: false, type: Push) (mnemonics:
null) (wbCommand: null)
```

```
!ENTRY org.eclipse.e4.ui.workbench 4 0 2024-02-14 11:14:27.944
```

```
!MESSAGE Unable to generate the parameterized command with the id
```

```
"com.sebulli.fakturama.command.callEditor" with the {org.fakturama.rcp.forcenew=true,
com.sebulli.fakturama.editors.editortype=com.sebulli.fakturama.editors.paymentEditor}
parameter(s). Model details:
```

```
menu:main.menu.new.payment.id=org.eclipse.e4.ui.model.application.ui.menu.impl.HandledMenuItemImpl@bb2575
(tags: null, contributorURI: platform:/plugin/com.sebulli.fakturama.rcp) (widget: null,
renderer: org.eclipse.e4.ui.workbench.renderers.swt.MenuManagerRenderer@12a0d249,
toBeRendered: true, onTop: false, visible: true, containerData: null, accessibilityPhrase:
null) (label: %main.menu.new.payment, iconURI: icon://COMMAND_PAYMENT, tooltip:
%main.menu.new.payment.tooltip, enabled: true, selected: false, type: Push) (mnemonics: )
(wbCommand: null)
```

```
!ENTRY org.eclipse.e4.ui.workbench 4 0 2024-02-14 11:14:27.945
```

```
!MESSAGE Unable to generate the parameterized command with the id
```

```
"com.sebulli.fakturama.command.callEditor" with the {org.fakturama.rcp.forcenew=true,
com.sebulli.fakturama.editors.editortype=com.sebulli.fakturama.editors.shippingEditor}
parameter(s). Model details:
```

```
menu:main.menu.new.shipping.id=org.eclipse.e4.ui.model.application.ui.menu.impl.HandledMenuItemImpl@66e21
(tags: null, contributorURI: platform:/plugin/com.sebulli.fakturama.rcp) (widget: null,
renderer: org.eclipse.e4.ui.workbench.renderers.swt.MenuManagerRenderer@12a0d249,
toBeRendered: true, onTop: false, visible: true, containerData: null, accessibilityPhrase:
```

```
null) (label: %main.menu.new.shipping, iconURI: icon://COMMAND_SHIPPING, tooltip:
%main.menu.new.shipping.tooltip, enabled: true, selected: false, type: Push) (mnemonics:
null) (wbCommand: null)
```

```
!ENTRY org.eclipse.e4.ui.workbench 4 0 2024-02-14 11:14:27.948
!MESSAGE Unable to generate the parameterized command with the id
"com.sebulli.fakturama.command.callEditor" with the
{com.sebulli.fakturama.editors.category=null, org.fakturama.rcp.forcenew=true,
com.sebulli.fakturama.editors.editortype=com.sebulli.fakturama.editors.vatEditor}
parameter(s). Model details:
menu:main.menu.new.vat.id=org.eclipse.e4.ui.model.application.ui.menu.impl.HandledMenuItemImpl@2282400e
(tags: null, contributorURI: platform:/plugin/com.sebulli.fakturama.rcp) (widget: null,
renderer: org.eclipse.e4.ui.workbench.renderers.swt.MenuManagerRenderer@12a0d249,
toBeRendered: true, onTop: false, visible: true, containerData: null, accessibilityPhrase:
null) (label: %main.menu.new.vat, iconURI: icon://COMMAND_VAT, tooltip:
%main.menu.new.vat.tooltip, enabled: true, selected: false, type: Push) (mnemonics: null)
(wbCommand: null)
```

```
!ENTRY org.eclipse.e4.ui.workbench 4 0 2024-02-14 11:14:27.949
!MESSAGE Unable to generate the parameterized command with the id
"com.sebulli.fakturama.command.callEditor" with the {org.fakturama.rcp.forcenew=true,
com.sebulli.fakturama.editors.editortype=com.sebulli.fakturama.editors.textEditor}
parameter(s). Model details:
menu:main.menu.new.text.id=org.eclipse.e4.ui.model.application.ui.menu.impl.HandledMenuItemImpl@3d615b2e
(tags: null, contributorURI: platform:/plugin/com.sebulli.fakturama.rcp) (widget: null,
renderer: org.eclipse.e4.ui.workbench.renderers.swt.MenuManagerRenderer@12a0d249,
toBeRendered: true, onTop: false, visible: true, containerData: null, accessibilityPhrase:
null) (label: %main.menu.new.text, iconURI: icon://COMMAND_TEXT, tooltip:
%main.menu.new.text.tooltip, enabled: true, selected: false, type: Push) (mnemonics: null)
(wbCommand: null)
```

```
!ENTRY org.eclipse.e4.ui.workbench 4 0 2024-02-14 11:14:27.954
!MESSAGE Unable to generate the parameterized command with the id
"com.sebulli.fakturama.command.callEditor" with the {org.fakturama.rcp.forcenew=true,
com.sebulli.fakturama.editors.editortype=com.sebulli.fakturama.editors.accountTypeEditor}
parameter(s). Model details:
menu:main.menu.new.listentry.id=org.eclipse.e4.ui.model.application.ui.menu.impl.HandledMenuItemImpl@52ca
(tags: null, contributorURI: platform:/plugin/com.sebulli.fakturama.rcp) (widget: null,
renderer: org.eclipse.e4.ui.workbench.renderers.swt.MenuManagerRenderer@12a0d249,
toBeRendered: true, onTop: false, visible: true, containerData: null, accessibilityPhrase:
null) (label: %main.menu.new.listentry, iconURI: icon://COMMAND_LIST, tooltip:
%main.menu.new.listentry.tooltip, enabled: true, selected: false, type: Push) (mnemonics:
null) (wbCommand: null)
```

```
!ENTRY org.eclipse.e4.ui.workbench 4 0 2024-02-14 11:14:27.956
!MESSAGE Unable to generate the parameterized command with the id
"com.sebulli.fakturama.command.callEditor" with the {org.fakturama.rcp.forcenew=true,
com.sebulli.fakturama.editors.editortype=com.sebulli.fakturama.editors.expenditureVoucherEditor}
parameter(s). Model details:
menu:main.menu.new.expenditurevoucher.id=org.eclipse.e4.ui.model.application.ui.menu.impl.HandledMenuItem
(tags: null, contributorURI: platform:/plugin/com.sebulli.fakturama.rcp) (widget: null,
renderer: org.eclipse.e4.ui.workbench.renderers.swt.MenuManagerRenderer@12a0d249,
toBeRendered: true, onTop: false, visible: true, containerData: null, accessibilityPhrase:
null) (label: %main.menu.new.expenditurevoucher, iconURI: icon://
COMMAND_EXPENDITURE_VOUCHER, tooltip: %command.new.expenditurevoucher.tooltip, enabled:
true, selected: false, type: Push) (mnemonics: null) (wbCommand: null)
```

```
!ENTRY org.eclipse.e4.ui.workbench 4 0 2024-02-14 11:14:27.962
!MESSAGE Unable to generate the parameterized command with the id
"com.sebulli.fakturama.command.callEditor" with the {org.fakturama.rcp.forcenew=true,
com.sebulli.fakturama.editors.editortype=com.sebulli.fakturama.editors.receiptVoucherEditor}
parameter(s). Model details:
menu:main.menu.new.receiptvoucher.id=org.eclipse.e4.ui.model.application.ui.menu.impl.HandledMenuItemImpl
(tags: null, contributorURI: platform:/plugin/com.sebulli.fakturama.rcp) (widget: null,
renderer: org.eclipse.e4.ui.workbench.renderers.swt.MenuManagerRenderer@12a0d249,
toBeRendered: true, onTop: false, visible: true, containerData: null, accessibilityPhrase:
```

```
null) (label: %main.menu.new.receiptvoucher, iconURI: icon://COMMAND_RECEIPT_VOUCHER,
tooltip: %command.new.receiptvoucher.tooltip, enabled: true, selected: false, type: Push)
(mnemonics: null) (wbCommand: null)
```

```
!SESSION 2024-02-14 11:14:29.997 -----
eclipse.buildId=2.1.3.202304210827
```

```
java.version=17.0.1
```

```
java.vendor=Azul Systems, Inc.
```

```
BootLoader constants: OS=linux, ARCH=x86_64, WS=gtk, NL=de_DE
```

```
Command-line arguments: -os linux -ws gtk -arch x86_64
```

```
!ENTRY org.eclipse.gemini.dbaccess.derby 4 0 2024-02-14 11:14:31.693
```

```
!MESSAGE FrameworkEvent ERROR
```

```
!STACK 0
```

```
org.osgi.framework.BundleException: Ausnahme in
org.eclipse.gemini.dbaccess.derby.Activator.start() von Bundle
org.eclipse.gemini.dbaccess.derby.
```

```
    at
```

```
org.eclipse.osgi.internal.framework.BundleContextImpl.startActivator(BundleContextImpl.java:
834)
```

```
    at
```

```
org.eclipse.osgi.internal.framework.BundleContextImpl.start(BundleContextImpl.java:762)
```

```
    at
```

```
org.eclipse.osgi.internal.framework.EquinoxBundle.startWorker0(EquinoxBundle.java:1032)
```

```
    at
```

```
org.eclipse.osgi.internal.framework.EquinoxBundle$EquinoxModule.startWorker(EquinoxBundle.java:
371)
```

```
    at org.eclipse.osgi.container.Module.doStart(Module.java:605)
```

```
    at org.eclipse.osgi.container.Module.start(Module.java:468)
```

```
    at
```

```
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel$2.run(ModuleContainer.java:
1847)
```

```
    at
```

```
org.eclipse.osgi.internal.framework.EquinoxContainerAdaptor$1$1.execute(EquinoxContainerAdaptor.java:
136)
```

```
    at
```

```
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:
1840)
```

```
    at
```

```
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:
1783)
```

```
    at
```

```
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:
1745)
```

```
    at
```

```
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:
1667)
```

```
    at
```

```
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:
1)
```

```
    at
```

```
org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:234)
```

```
    at
```

```
org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:345)
```

```
Caused by: java.lang.NoClassDefFoundError: org/apache/derby/jdbc/EmbeddedDataSource
```

```
    at org.eclipse.gemini.dbaccess.derby.Activator.start(Activator.java:54)
```

```
    at
```

```
org.eclipse.osgi.internal.framework.BundleContextImpl$2.run(BundleContextImpl.java:813)
```

```
    at
```

```
org.eclipse.osgi.internal.framework.BundleContextImpl$2.run(BundleContextImpl.java:1)
```

```
    at java.base/java.security.AccessController.doPrivileged(AccessController.java:
569)
```

```
    at
```

```
org.eclipse.osgi.internal.framework.BundleContextImpl.startActivator(BundleContextImpl.java:
805)
```

```
... 14 more
```

```
Caused by: java.lang.ClassNotFoundException: org.apache.derby.jdbc.EmbeddedDataSource
```

```
cannot be found by org.eclipse.gemini.dbaccess.derby_1.2.1
    at
org.eclipse.osgi.internal.loader.BundleLoader.generateException(BundleLoader.java:529)
    at org.eclipse.osgi.internal.loader.BundleLoader.findClass0(BundleLoader.java:475)
    at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:416)
    at
org.eclipse.osgi.internal.loader.ModuleClassLoader.loadClass(ModuleClassLoader.java:168)
    at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:520)
    ... 19 more
Root exception:
java.lang.NoClassDefFoundError: org/apache/derby/jdbc/EmbeddedDataSource
    at org.eclipse.gemini.dbaccess.derby.Activator.start(Activator.java:54)
    at
org.eclipse.osgi.internal.framework.BundleContextImpl$2.run(BundleContextImpl.java:813)
    at
org.eclipse.osgi.internal.framework.BundleContextImpl$2.run(BundleContextImpl.java:1)
    at java.base/java.security.AccessController.doPrivileged(AccessController.java:
569)
    at
org.eclipse.osgi.internal.framework.BundleContextImpl.startActivator(BundleContextImpl.java:
805)
    at
org.eclipse.osgi.internal.framework.BundleContextImpl.start(BundleContextImpl.java:762)
    at
org.eclipse.osgi.internal.framework.EquinoxBundle.startWorker0(EquinoxBundle.java:1032)
    at
org.eclipse.osgi.internal.framework.EquinoxBundle$EquinoxModule.startWorker(EquinoxBundle.java:
371)
    at org.eclipse.osgi.container.Module.doStart(Module.java:605)
    at org.eclipse.osgi.container.Module.start(Module.java:468)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel$2.run(ModuleContainer.java:
1847)
    at
org.eclipse.osgi.internal.framework.EquinoxContainerAdaptor$1$1.execute(EquinoxContainerAdaptor.java:
136)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:
1840)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:
1783)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:
1745)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:
1667)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:
1)
    at
org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:234)
    at
org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:345)
Caused by: java.lang.ClassNotFoundException: org.apache.derby.jdbc.EmbeddedDataSource
cannot be found by org.eclipse.gemini.dbaccess.derby_1.2.1
    at
org.eclipse.osgi.internal.loader.BundleLoader.generateException(BundleLoader.java:529)
    at org.eclipse.osgi.internal.loader.BundleLoader.findClass0(BundleLoader.java:475)
    at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:416)
    at
org.eclipse.osgi.internal.loader.ModuleClassLoader.loadClass(ModuleClassLoader.java:168)
    at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:520)
    ... 19 more
```

```
!ENTRY org.eclipse.osgi 4 0 2024-02-14 11:14:34.093
!MESSAGE Das Produktpaket org.eclipse.gemini.dbaccess.derby_1.2.1 [3627] ist nicht aktiv.
!SESSION 2024-02-14 11:14:39.195 -----
eclipse.buildId=2.1.3.202304210827
java.version=17.0.1
java.vendor=Azul Systems, Inc.
BootLoader constants: OS=linux, ARCH=x86_64, WS=gtk, NL=de_DE
Command-line arguments: -os linux -ws gtk -arch x86_64

!ENTRY org.eclipse.gemini.dbaccess.derby 4 0 2024-02-14 11:14:40.619
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Ausnahme in
org.eclipse.gemini.dbaccess.derby.Activator.start() von Bundle
org.eclipse.gemini.dbaccess.derby.
    at
org.eclipse.osgi.internal.framework.BundleContextImpl.startActivator(BundleContextImpl.java:
834)
    at
org.eclipse.osgi.internal.framework.BundleContextImpl.start(BundleContextImpl.java:762)
    at
org.eclipse.osgi.internal.framework.EquinoxBundle.startWorker0(EquinoxBundle.java:1032)
    at
org.eclipse.osgi.internal.framework.EquinoxBundle$EquinoxModule.startWorker(EquinoxBundle.java:
371)
        at org.eclipse.osgi.container.Module.doStart(Module.java:605)
        at org.eclipse.osgi.container.Module.start(Module.java:468)
        at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel$2.run(ModuleContainer.java:
1847)
            at
org.eclipse.osgi.internal.framework.EquinoxContainerAdaptor$1$1.execute(EquinoxContainerAdaptor.java:
136)
                at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:
1840)
                    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:
1783)
                        at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:
1745)
                            at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:
1667)
                                at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:
1)
                                    at
org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:234)
                                        at
org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:345)
Caused by: java.lang.NoClassDefFoundError: org/apache/derby/jdbc/EmbeddedDataSource
    at org.eclipse.gemini.dbaccess.derby.Activator.start(Activator.java:54)
    at
org.eclipse.osgi.internal.framework.BundleContextImpl$2.run(BundleContextImpl.java:813)
        at
org.eclipse.osgi.internal.framework.BundleContextImpl$2.run(BundleContextImpl.java:1)
            at java.base/java.security.AccessController.doPrivileged(AccessController.java:
569)
                at
org.eclipse.osgi.internal.framework.BundleContextImpl.startActivator(BundleContextImpl.java:
805)
                    ... 14 more
Caused by: java.lang.ClassNotFoundException: org.apache.derby.jdbc.EmbeddedDataSource
cannot be found by org.eclipse.gemini.dbaccess.derby_1.2.1
```

```
    at
org.eclipse.osgi.internal.loader.BundleLoader.generateException(BundleLoader.java:529)
    at org.eclipse.osgi.internal.loader.BundleLoader.findClass0(BundleLoader.java:475)
    at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:416)
    at
org.eclipse.osgi.internal.loader.ModuleClassLoader.loadClass(ModuleClassLoader.java:168)
    at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:520)
    ... 19 more
Root exception:
java.lang.NoClassDefFoundError: org/apache/derby/jdbc/EmbeddedDataSource
    at org.eclipse.gemini.dbaccess.derby.Activator.start(Activator.java:54)
    at
org.eclipse.osgi.internal.framework.BundleContextImpl$2.run(BundleContextImpl.java:813)
    at
org.eclipse.osgi.internal.framework.BundleContextImpl$2.run(BundleContextImpl.java:1)
    at java.base/java.security.AccessController.doPrivileged(AccessController.java:
569)
    at
org.eclipse.osgi.internal.framework.BundleContextImpl.startActivator(BundleContextImpl.java:
805)
    at
org.eclipse.osgi.internal.framework.BundleContextImpl.start(BundleContextImpl.java:762)
    at
org.eclipse.osgi.internal.framework.EquinoxBundle.startWorker0(EquinoxBundle.java:1032)
    at
org.eclipse.osgi.internal.framework.EquinoxBundle$EquinoxModule.startWorker(EquinoxBundle.java:
371)
        at org.eclipse.osgi.container.Module.doStart(Module.java:605)
        at org.eclipse.osgi.container.Module.start(Module.java:468)
        at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel$2.run(ModuleContainer.java:
1847)
    at
org.eclipse.osgi.internal.framework.EquinoxContainerAdaptor$1$1.execute(EquinoxContainerAdaptor.java:
136)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:
1840)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:
1783)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:
1745)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:
1667)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:
1)
    at
org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:234)
    at
org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:345)
Caused by: java.lang.ClassNotFoundException: org.apache.derby.jdbc.EmbeddedDataSource
cannot be found by org.eclipse.gemini.dbaccess.derby_1.2.1
    at
org.eclipse.osgi.internal.loader.BundleLoader.generateException(BundleLoader.java:529)
    at org.eclipse.osgi.internal.loader.BundleLoader.findClass0(BundleLoader.java:475)
    at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:416)
    at
org.eclipse.osgi.internal.loader.ModuleClassLoader.loadClass(ModuleClassLoader.java:168)
    at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:520)
    ... 19 more

!ENTRY org.eclipse.osgi 4 0 2024-02-14 11:14:43.248
```

```
!MESSAGE Das Produktpaket org.eclipse.gemini.dbaccess.derby_1.2.1 [3627] ist nicht aktiv.
!SESSION 2024-02-14 11:15:06.516 -----
eclipse.buildId=2.1.3.202304210827
java.version=17.0.1
java.vendor=Azul Systems, Inc.
BootLoader constants: OS=linux, ARCH=x86_64, WS=gtk, NL=de_DE
Command-line arguments: -os linux -ws gtk -arch x86_64
```

```
!ENTRY org.eclipse.gemini.dbaccess.derby 4 0 2024-02-14 11:15:07.973
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Ausnahme in
org.eclipse.gemini.dbaccess.derby.Activator.start() von Bundle
org.eclipse.gemini.dbaccess.derby.
    at
org.eclipse.osgi.internal.framework.BundleContextImpl.startActivator(BundleContextImpl.java:
834)
    at
org.eclipse.osgi.internal.framework.BundleContextImpl.start(BundleContextImpl.java:762)
    at
org.eclipse.osgi.internal.framework.EquinoxBundle.startWorker0(EquinoxBundle.java:1032)
    at
org.eclipse.osgi.internal.framework.EquinoxBundle$EquinoxModule.startWorker(EquinoxBundle.java:
371)
        at org.eclipse.osgi.container.Module.doStart(Module.java:605)
        at org.eclipse.osgi.container.Module.start(Module.java:468)
        at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel$2.run(ModuleContainer.java:
1847)
            at
org.eclipse.osgi.internal.framework.EquinoxContainerAdaptor$1$1.execute(EquinoxContainerAdaptor.java:
136)
                at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:
1840)
                    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:
1783)
                        at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:
1745)
                            at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:
1667)
                                at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:
1)
                                    at
org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:234)
                                        at
org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:345)
Caused by: java.lang.NoClassDefFoundError: org/apache/derby/jdbc/EmbeddedDataSource
    at org.eclipse.gemini.dbaccess.derby.Activator.start(Activator.java:54)
    at
org.eclipse.osgi.internal.framework.BundleContextImpl$2.run(BundleContextImpl.java:813)
        at
org.eclipse.osgi.internal.framework.BundleContextImpl$2.run(BundleContextImpl.java:1)
            at java.base/java.security.AccessController.doPrivileged(AccessController.java:
569)
                at
org.eclipse.osgi.internal.framework.BundleContextImpl.startActivator(BundleContextImpl.java:
805)
                    ... 14 more
Caused by: java.lang.ClassNotFoundException: org.apache.derby.jdbc.EmbeddedDataSource
cannot be found by org.eclipse.gemini.dbaccess.derby_1.2.1
    at
```

```
org.eclipse.osgi.internal.loader.BundleLoader.generateException(BundleLoader.java:529)
    at org.eclipse.osgi.internal.loader.BundleLoader.findClass0(BundleLoader.java:475)
    at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:416)
    at
org.eclipse.osgi.internal.loader.ModuleClassLoader.loadClass(ModuleClassLoader.java:168)
    at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:520)
    ... 19 more
Root exception:
java.lang.NoClassDefFoundError: org/apache/derby/jdbc/EmbeddedDataSource
    at org.eclipse.gemini.dbaccess.derby.Activator.start(Activator.java:54)
    at
org.eclipse.osgi.internal.framework.BundleContextImpl$2.run(BundleContextImpl.java:813)
    at
org.eclipse.osgi.internal.framework.BundleContextImpl$2.run(BundleContextImpl.java:1)
    at java.base/java.security.AccessController.doPrivileged(AccessController.java:
569)
    at
org.eclipse.osgi.internal.framework.BundleContextImpl.startActivator(BundleContextImpl.java:
805)
    at
org.eclipse.osgi.internal.framework.BundleContextImpl.start(BundleContextImpl.java:762)
    at
org.eclipse.osgi.internal.framework.EquinoxBundle.startWorker0(EquinoxBundle.java:1032)
    at
org.eclipse.osgi.internal.framework.EquinoxBundle$EquinoxModule.startWorker(EquinoxBundle.java:
371)
    at org.eclipse.osgi.container.Module.doStart(Module.java:605)
    at org.eclipse.osgi.container.Module.start(Module.java:468)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel$2.run(ModuleContainer.java:
1847)
    at
org.eclipse.osgi.internal.framework.EquinoxContainerAdaptor$1$1.execute(EquinoxContainerAdaptor.java:
136)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:
1840)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:
1783)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:
1745)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:
1667)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:
1)
    at
org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:234)
    at
org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:345)
Caused by: java.lang.ClassNotFoundException: org.apache.derby.jdbc.EmbeddedDataSource
cannot be found by org.eclipse.gemini.dbaccess.derby_1.2.1
    at
org.eclipse.osgi.internal.loader.BundleLoader.generateException(BundleLoader.java:529)
    at org.eclipse.osgi.internal.loader.BundleLoader.findClass0(BundleLoader.java:475)
    at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:416)
    at
org.eclipse.osgi.internal.loader.ModuleClassLoader.loadClass(ModuleClassLoader.java:168)
    at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:520)
    ... 19 more

!ENTRY org.eclipse.osgi 4 0 2024-02-14 11:15:11.516
!MESSAGE Das Produktpaket org.eclipse.gemini.dbaccess.derby_1.2.1 [3627] ist nicht aktiv.
```

```
!ENTRY com.sebulli.fakturama.common 4 0 2024-02-14 11:15:59.057
!MESSAGE c.s.f.LifecycleManager.checksBeforeStartup:161|couldn't create or update
database!

!ENTRY com.sebulli.fakturama.common 4 0 2024-02-14 11:29:53.959
!MESSAGE c.s.f.LifecycleManager.checksBeforeStartup:161|couldn't create or update
database!

!ENTRY com.sebulli.fakturama.common 4 0 2024-02-14 12:25:43.952
!MESSAGE c.s.f.LifecycleManager.checksBeforeStartup:161|couldn't create or update
database!

!ENTRY com.sebulli.fakturama.common 4 0 2024-02-14 12:52:00.440
!MESSAGE c.s.f.LifecycleManager.checksBeforeStartup:161|couldn't create or update
database!

!ENTRY com.sebulli.fakturama.common 4 0 2024-02-14 12:55:09.501
!MESSAGE c.s.f.LifecycleManager.checksBeforeStartup:161|couldn't create or update
database!

!ENTRY com.sebulli.fakturama.common 4 0 2024-02-14 13:01:44.281
!MESSAGE c.s.f.LifecycleManager.checksBeforeStartup:161|couldn't create or update
database!

!ENTRY com.sebulli.fakturama.common 4 0 2024-02-14 13:08:13.391
!MESSAGE c.s.f.LifecycleManager.checksBeforeStartup:161|couldn't create or update
database!

!ENTRY com.sebulli.fakturama.common 4 0 2024-02-14 13:53:51.821
!MESSAGE c.s.f.LifecycleManager.checksBeforeStartup:161|couldn't create or update
database!
!SESSION 2024-02-14 14:19:42.704 -----
eclipse.buildId=2.1.3.202304210827
java.version=17.0.1
java.vendor=Azul Systems, Inc.
BootLoader constants: OS=linux, ARCH=x86_64, WS=gtk, NL=de_DE
Command-line arguments: -os linux -ws gtk -arch x86_64

!ENTRY org.eclipse.gemini.dbaccess.derby 4 0 2024-02-14 14:19:44.158
!MESSAGE FrameworkEvent ERROR
!STACK 0
org.osgi.framework.BundleException: Ausnahme in
org.eclipse.gemini.dbaccess.derby.Activator.start() von Bundle
org.eclipse.gemini.dbaccess.derby.
    at
org.eclipse.osgi.internal.framework.BundleContextImpl.startActivator(BundleContextImpl.java:
834)
    at
org.eclipse.osgi.internal.framework.BundleContextImpl.start(BundleContextImpl.java:762)
    at
org.eclipse.osgi.internal.framework.EquinoxBundle.startWorker0(EquinoxBundle.java:1032)
    at
org.eclipse.osgi.internal.framework.EquinoxBundle$EquinoxModule.startWorker(EquinoxBundle.java:
371)
        at org.eclipse.osgi.container.Module.doStart(Module.java:605)
        at org.eclipse.osgi.container.Module.start(Module.java:468)
        at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel$2.run(ModuleContainer.java:
1847)
            at
org.eclipse.osgi.internal.framework.EquinoxContainerAdaptor$1$1.execute(EquinoxContainerAdaptor.java:
136)
                at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:
1840)
```

```
        at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:
1783)
        at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:
1745)
        at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:
1667)
        at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:
1)
        at
org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:234)
        at
org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:345)
Caused by: java.lang.NoClassDefFoundError: org/apache/derby/jdbc/EmbeddedDataSource
        at org.eclipse.gemini.dbaccess.derby.Activator.start(Activator.java:54)
        at
org.eclipse.osgi.internal.framework.BundleContextImpl$2.run(BundleContextImpl.java:813)
        at
org.eclipse.osgi.internal.framework.BundleContextImpl$2.run(BundleContextImpl.java:1)
        at java.base/java.security.AccessController.doPrivileged(AccessController.java:
569)
        at
org.eclipse.osgi.internal.framework.BundleContextImpl.startActivator(BundleContextImpl.java:
805)
        ... 14 more
Caused by: java.lang.ClassNotFoundException: org.apache.derby.jdbc.EmbeddedDataSource
cannot be found by org.eclipse.gemini.dbaccess.derby_1.2.1
        at
org.eclipse.osgi.internal.loader.BundleLoader.generateException(BundleLoader.java:529)
        at org.eclipse.osgi.internal.loader.BundleLoader.findClass0(BundleLoader.java:475)
        at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:416)
        at
org.eclipse.osgi.internal.loader.ModuleClassLoader.loadClass(ModuleClassLoader.java:168)
        at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:520)
        ... 19 more
Root exception:
java.lang.NoClassDefFoundError: org/apache/derby/jdbc/EmbeddedDataSource
        at org.eclipse.gemini.dbaccess.derby.Activator.start(Activator.java:54)
        at
org.eclipse.osgi.internal.framework.BundleContextImpl$2.run(BundleContextImpl.java:813)
        at
org.eclipse.osgi.internal.framework.BundleContextImpl$2.run(BundleContextImpl.java:1)
        at java.base/java.security.AccessController.doPrivileged(AccessController.java:
569)
        at
org.eclipse.osgi.internal.framework.BundleContextImpl.startActivator(BundleContextImpl.java:
805)
        at
org.eclipse.osgi.internal.framework.BundleContextImpl.start(BundleContextImpl.java:762)
        at
org.eclipse.osgi.internal.framework.EquinoxBundle.startWorker0(EquinoxBundle.java:1032)
        at
org.eclipse.osgi.internal.framework.EquinoxBundle$EquinoxModule.startWorker(EquinoxBundle.java:
371)
        at org.eclipse.osgi.container.Module.doStart(Module.java:605)
        at org.eclipse.osgi.container.Module.start(Module.java:468)
        at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel$2.run(ModuleContainer.java:
1847)
        at
org.eclipse.osgi.internal.framework.EquinoxContainerAdaptor$1$1.execute(EquinoxContainerAdaptor.java:
136)
        at
```

```
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:
1840)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.incStartLevel(ModuleContainer.java:
1783)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.doContainerStartLevel(ModuleContainer.java:
1745)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:
1667)
    at
org.eclipse.osgi.container.ModuleContainer$ContainerStartLevel.dispatchEvent(ModuleContainer.java:
1)
    at
org.eclipse.osgi.framework.eventmgr.EventManager.dispatchEvent(EventManager.java:234)
    at
org.eclipse.osgi.framework.eventmgr.EventManager$EventThread.run(EventManager.java:345)
Caused by: java.lang.ClassNotFoundException: org.apache.derby.jdbc.EmbeddedDataSource
cannot be found by org.eclipse.gemini.dbaccess.derby_1.2.1
    at
org.eclipse.osgi.internal.loader.BundleLoader.generateException(BundleLoader.java:529)
    at org.eclipse.osgi.internal.loader.BundleLoader.findClass0(BundleLoader.java:475)
    at org.eclipse.osgi.internal.loader.BundleLoader.findClass(BundleLoader.java:416)
    at
org.eclipse.osgi.internal.loader.ModuleClassLoader.loadClass(ModuleClassLoader.java:168)
    at java.base/java.lang.ClassLoader.loadClass(ClassLoader.java:520)
    ... 19 more
```

!ENTRY org.eclipse.osgi 4 0 2024-02-14 14:19:46.334

!MESSAGE Das Produktpaket org.eclipse.gemini.dbaccess.derby_1.2.1 [3627] ist nicht aktiv.

!ENTRY com.sebulli.fakturama.common 4 0 2024-02-14 14:32:55.786

!MESSAGE c.s.f.LifecycleManager.checksBeforeStartup:161|couldn't create or update database!

!ENTRY com.sebulli.fakturama.common 4 0 2024-02-14 15:58:16.324

!MESSAGE c.s.f.LifecycleManager.checksBeforeStartup:161|couldn't create or update database!

!ENTRY com.sebulli.fakturama.common 4 0 2024-02-14 16:09:44.440

!MESSAGE c.s.f.LifecycleManager.checksBeforeStartup:161|couldn't create or update database!

!ENTRY com.sebulli.fakturama.common 4 0 2024-02-14 16:16:15.875

!MESSAGE c.s.f.LifecycleManager.checksBeforeStartup:161|couldn't create or update database!

!ENTRY com.sebulli.fakturama.common 4 0 2024-02-14 16:21:15.297

!MESSAGE c.s.f.LifecycleManager.checksBeforeStartup:161|couldn't create or update database!

!ENTRY com.sebulli.fakturama.common 4 0 2024-02-14 16:48:02.020

!MESSAGE c.s.f.LifecycleManager.checksBeforeStartup:161|couldn't create or update database!